

**2003 VARIETY TESTING
WASHINGTON STATE UNIVERSITY
ST. JOHN SPRING BARLEY NURSERY**

VARIETY	5 YEAR AVERAGE (LBS/A)	3 YEAR AVERAGE (LBS/A)	2 YEAR AVERAGE (LBS/A)	2003 YIELD (LBS/A)	2003 TEST WT. (LBS/BU)
BARONESSE	4553 (1)	3879 (2)	4060 (4)	4488 (3)	50.5
XENA	4505 (2)	3742 (4)	3907 (7)	4393 (6)	50.8
FARMINGTON	4276 (3)	3522 (7)	3723 (13)	3723 (37)	48.6
HARRINGTON	4179 (4)	3512 (8)	3745 (12)	3914 (32)	48.9
CAMELOT	4166 (5)	3286 (11)	3753 (11)	4039 (22)	50.4
STEPTOE	4129 (6)	3398 (10)	3274 (18)	4050 (20)	47.0
MOREX	3628 (7)	3173 (12)	3108 (20)	3534 (39)	49.5
BOB	---	3989 (1)	4243 (1)	4573 (1)	51.5
98NZ223	---	3832 (3)	4000 (5)	4227 (12)	49.6
98NZ015	---	3558 (5)	3667 (15)	3958 (29)	47.7
CAMAS	---	3546 (6)	3756 (9)	4140 (16)	51.4
WA 8601-97	---	3507 (9)	3591 (16)	3969 (27)	46.4
WA 7194-98	---	---	4214 (2)	4207 (13)	51.0
ADAGE	---	---	4203 (3)	4486 (4)	50.0
WA 10497-97	---	---	3951 (6)	4031 (23)	50.8
NZDK 00-170	---	---	3858 (8)	3987 (25)	48.5
LEGACY	---	---	3755 (10)	3936 (30)	49.3
SAMISH 23	---	---	3685 (14)	3981 (26)	51.3
BZ596-117	---	---	3513 (17)	4116 (18)	52.2
99NZ 102	---	---	3142 (19)	3828 (33)	46.9
WA 8569-99	---	---	---	4490 (2)	50.7
WA 10701-99	---	---	---	4444 (5)	50.5
CEBECO 0149	---	---	---	4381 (7)	49.5
WA 9701-99	---	---	---	4343 (8)	47.7
WA 10451-99	---	---	---	4289 (9)	49.9
NZDK 94	---	---	---	4244 (10)	48.5
NZDK 7	---	---	---	4230 (11)	48.2
NZDK 55	---	---	---	4200 (14)	48.9
CREEL	---	---	---	4198 (15)	47.4
WA 9004-99	---	---	---	4133 (17)	51.2
NZDK 91	---	---	---	4087 (19)	47.6
BZ596-189	---	---	---	4049 (21)	49.5
WA 9776-99	---	---	---	4006 (24)	46.8
WA 10421-99	---	---	---	3966 (28)	49.9
NZDK 00-155	---	---	---	3932 (31)	46.3
AC METCALFE	---	---	---	3814 (34)	50.2
2001NZ706	---	---	---	3791 (35)	46.4
2000NZ772	---	---	---	3778 (36)	48.9
WA 7617-99	---	---	---	3696 (38)	43.9
MANLEY	---	---	---	3410 (40)	46.7

Mean	4205	3579	3757	4076	49.1
CV%	6.5	7.5	7.1	5.5	2.6
LSD @ .10	162	210	257	306	1.7